							HEET	1 OF 1	
	TATEMENT	SURE	i	Y. DOCKET NO. 0-0027		SERIAL NO. 10/762,216			
	PTO-1449		APP	LICANT: James D. Kaf	ka, et al.	-			
	F10-1449		FILE	NG DATE: 01/20/2004	GR	OUP : 2817	366		
		U	.S. PA7	TENT DOCUMENTS					
EXAMINER'S INITIALS	PATENT NO. DAT		ATE	NAME	CLASS	SUBCLAS	-	ILING DATE	
	6,002,697	12/14/	1999	Govorkov	372	34			
Auto	US 2002/0085608	07/04/	2002	Kopf, et al.	372	75			
Anny	OS 2002/0110168	3 08/15/	2002	Haumesser, et al.	372	. 39			
Aus	ÚS 2002/0126715	09/12/	2002	Gerstenberger, et al.	372	22			
Ams	US 2003/0147443	3 08/07/	2003	Backus, et al.	372	70	70		
Aus	US 2003/0189959	10/09/	2003	Erbert, et al.	372	25			
~									
		FOI	REIGN	PATENT DOCUMENTS					
EXAMINER'S			TE	COUNTRY	CLASS	SUBCLASS	TRANSLATION		
INITIALS							YES	NO	
	WO 98/52257	19 Nov 19	98	PCT	H01S	3/091			
	<u> </u>								
ATTION	Brunner, F., et a	l., "240-FS I	ulses w	ling Author, Title, Date, Fith 22-W Average Power fi	rom a Mode	Locked Thin-D	iskYb:K	Υ	
May 2	Innerhofer, E. et	al., "60-W	Average	27, No. 13, pp. 1162-1164 Power in 810-FS Pulses fr	, July 1, 200 om a Thin-D	2 Disk Yb:YAG La	aser", Or	ptics	
A	Letters, Vol. 28,	No. 5, pp 36	57-369, Power Fe	March, 1, 2003 emtosecond Nonlinear Dev	ices Pumpeo	l with a Mode-I	ocked T	hin Disk	
MATO	Laser", Lasers a	nd Electro-C	ptics Eu	rope, pg. 245, June 22, 200)3				
thus	266-72, (2003)	al. "Ultrash	ort Pulse	es with High Average Powe	er", Proceed	ngs of the SPIE	, VOI. 31	3/, pgs.	
				,					
		· · · · · · · · · · · · · · · · · · ·							
	1								
EXAMINER A	11/11/10	man.	DA	TE CONSIDERED	9-73-	-2005			

SH SH

	المي الم	, S					SHEE	Γ 10F 2	
1	TION DISCLO	HAOEAN	ATTY. DOCKET NO. SERIAL NO. 18120-0027 10/762,216						
STATEMENT			APPLICANT: James D. KAFKA, et al.						
	PTO-1449		FILING	FILING DATE: 01/20/2004 GROUP:-2817				<u> </u>	
	U.S. PATENT DOCUMENTS								
EXAMINER'S INITIALS					SUBCLASS	FILING DATE			
							ļ		
					<u> </u>	<u> </u>	<u> </u>	····	
	1	FOR	EIGN PA	TENT DOCUMENTS	1	· · · · · · · · · · · · · · · · · · ·	Ι		
EXAMINER'S INITIALS	PATENT NO.	DAT	E	COUNTRY	CLASS	SUBCLASS	YES	NO	
	<u> </u>				<u> </u>	_			
	OTHER DO	CUMENTS	Including	Author, Title, Date, P	ertinent l	Pages Ftc)			
Alas	U. Brauch, et al.	, "Multiwatt I	Diode-Pun	nped Yb:YAG Thin Disk . 20, No. 7, pp. 713-715,	Laser C	ontinuously Tunat	ole Betwe	en	
Aust	A Beyertt, et al., Repetition Rate			nd Thin Disk Yb:KYW F Photonics 2004	Regenerat	ive Amplifier with	n High		
May				de Pumped Reenerative fs, 3μ J-pulses at 100kH				Optics,	
ANTO	H. Liu, et al., "Y 203:315-321, 20		1)2 Chirpe	d-Pulse Regenerative Ar	mplifiers"	Optics Communi	cations,		
Ann	Antoine Courjau Phontonics, 200		de Pumpe	d Multikilohertz Femtos	second Ar	nplifier", Advance	ed Solid S	State	
AND	A. Beyertt, et al.	, "Femtoseco onics, pp. 372	nd Thin D -375, 200	isk Yb:KYW Regenerati 3	ive Ampl	fier without CPA	", Advan	ced	
Alla				sk Yb:KY(WO4)2 Reger 9, No. 23, pp. 2764-276			00 kHz		
Am	Tatsuya Tomaru Electro-Optics, 2		ent-Cavity	Femtosecond CR4+:YA	\G Laser'	, Conference on L	asers and	i	
Almo				m based on Air-Guiding , Optical Society of Ame			mpressor	," ,	
AM				ntosecond Fiber CPA Sy ociety of America, pp. 1-		sign and Applicat	ions, Cor	lference	
AMIL	J. Limpert, "Hig Vol. 28, No. 20,			osecond Fiber Chirped-F r 15, 2003	Pulse Am	olification System	, Optics	Letters,	
EXAMINER OF	L' WW	1001	DATE	CONSIDERED	9-23	-2005			

• •								SHEE	ZUFZ	
INFORMATION DISCLOSURE			ATTY. DOCKET NO.			SERIAL NO.				
	TATEMENT		18120-0027 10/762,216							
' _\	\PTO-1449		APPLICANT: James D. KAFKA, et al.							
APR 0 4 2005			FILING	DATE: 01/20/2004	4	GRO	OUP : 2817 -	366	3	
S. Jeff		U.S	S. PATE	NT DOCUMENTS	· · · · · · · · · · · · · · · · · · ·			,——·-		
EXAMINER'S INITIALS	PATENT NO.	DATE		NAME	CL	ASS	SUBCLASS	FILING DATE		
			-		 -			· 		
		FOR	EIGN PA	TENT DOCUMENT	s	_				
EXAMINER'S	EXAMINER'S PATENT NO.		TE.	COUNTRY		ASS	SUBCLASS	TRANSLATION		
INITIALS								YES	NO	
	·									
-	OTHER DO	CUMENTS	(Including	Author, Title, Date,	Pertine	nt Pa	ges, Etc.)			
Aw	J. Limpert, et al.,	, "All Fiber C up Fiber", Op	hirped-Pu	lse Amplification Syst ty of America Optics I	em Bas	ed on	Compression in	Air-Guid 3332-333	ding 37,	
Aus	R. Maleck-Rasso Parametric Amp	oul, et al., "Su lifier", Optica	ub-40 fs Pu al Society	ulses from a 500 fs Gre of America, Advanced	en-Pum Solid S	ped S tate P	ingle-Pass Non- hotonics, 2002	collinear		
sus	C. Hönninger, et (laser and Optics			nin-Disk Yb:YAG Reg	enerativ	/e Am	plifier", Applie	d Physics	3 B	
AND	http://www.imra	.com/lasers-p	rod-fcpa.h	itml, IMRA America, I	inc., "F(CPA μ	Jewel Series"			
gus	http://www.ampl	itude-system	es.com/sP	ulse.htm, Amplitude S	ystems,	"S-Pı	alse Femtosecor	ıd Ampli	fier"	
						_				
<u> </u>										
			<u>.</u>							
EXAMINER &	W MUY	won	- DATE	CONSIDERED	9-	-23	-2005			

E SCION	<u> </u>	. : .				SHEE	T 1 OF 4	
1 20/	TION DISCLO	ATTY. DOCKET NO. SERIAL NO. 18120-0027 10/762,216						
EMP	PTO-1449		APPLICANT Kafka et al.					
			FILING DATE 01/20/04	GR	OUP Unknow	n .		
		U.S	S. PATENT DOCUMENTS		,	,		
EXAMINER'S INITIALS	PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING	G DATE	
		FOR	EIGN PATENT DOCUMENTS	<u></u>	<u></u>			
EXAMINER'S	PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION		
INITIALS						YES	NO	
		·						
<u> </u>			Including Author, Title, Date, Po					
Amos	Bado, P. et al., "I 1987; Vol. 12, N		le-Locked Oscillator and Regeneral 321.	tive Amplif	ier"; OPTICS L	ETTERS	; May	
Aus	Bagnoud, V. et al. "Diode-Pumped Regenerative Amplifier Delivering 100-mj Single-Mode Laser Pulses"; OPTICS LETTERS; March 15, 2001; Vol. 26, No. 6; pp. 337-339.							
Alway		Balembois, F. et al., "High-Repetition-Rate Cw-Pumped Cr3+: LiSrAlF6 Fermtosecond Regenerative Amplifier"; OPTICS LETTERS, Vol. 18, No. 15; August 1, 1993; pp. 1250-1252.						
And			ve Pulse Shaping and Amplification v 1, 1996; Vol. 21, No. 3; pp. 219-2		oadband Optica	l Pulses"	;	
Aus			of 18-fs, Multiterawatt Pulses by F S LETTERS; Vol. 21, No. 9; May			and Chi	ped-	
Ann	Beaud, P. et al., pp. 1550-1552.	"8-TW 90-fs	Cr:LiSAF Laser"; OPTICS LETTE	ERS; Vol. 1	8, No. 18; Septe	mber 15,	1993;	
Aus			ped Nd:Glass Kilohertz Regenerati PLIED OPTICS; Vol. 36, No. 18;					
AMO			Amplification of Picosecond Pulse I.B; Vol. 5, No. 12; December 1998			ing and C	Gain	
Ann			ization of a High-Gain Picosecond FICS LETTERS; Vol. 13, No. 11; 1					
Acres			-Laser-Pumped, cw mode-locked N TICS LETTERS; Vol. 15, No. 3; Fo				and	
Auns			mpression in a Self-Filtering Nd: Y nuary 1, 1992; pp. 37-39.	'AG Regen	erative Amplific	er"; OPTI	cs	
Auro	Evans, J.M. et al November 1, 199		Cr: Forsterite Regenerative Amplif 1694.	ier"; OPTIC	CS LETTERS; \	/ol. 23, N	Vo. 21,	
EXAMINER OF	CAMAD.		DATE CONSIDERED 2	4-77-	2005			

			•			01102	1201-		
INFORMATION DISCLOSURE		ATTY. DOCKET NO.	SE	RIAL NO.					
	CITATION	OSURE	18120-0027 10/762,216						
	PTO-1449		APPLICANT Kafka et al.						
			FILING DATE 01/20/04	GR	OUP Unknow	n			
		U.	S. PATENT DOCUMENTS						
EXAMINER'S INITIALS	PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE			
				<u> </u>	<u></u>		•		
		1	EIGN PATENT DOCUMENTS	Τ	T	T			
EXAMINER'S INITIALS	PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION			
						YES	NO		
· · · · · · · · · · · · · · · · · · ·	OTHER DO	CUMENTS (Including Author, Title, Date, Po	ertinent P	ages. Etc.)				
M.	1		Power Kilohertz-Repetition-Rate S			lifier Sy	stem";		
911/1	OPTICS LETTE	ERS; Vol. 22,	No. 10, May 15, 1997; pp. 712-71	4. 					
Attes	Gifford, M. et al., "Diode-Pumped Nd:YLF Regenerative Amplifier"; OPTICS LETTERS; Vol. 17, No. 24; December 15, 1992; pp. 1788-1790.								
Aus	Hankla, A.K. et al., "Tunable Short-Pulse Beat-Wave Laser Source Operating at 1 μm", OPTICS LETTERS, Vol. 22, No. 22; November 15, 1997; pp. 1713-1715.								
Aus		Hariharan, A. et al., "Alexandrite-Pumped Alexandrite Regenerative Amplifier For Femtosecond Pulse Amplification", OPTICS LETTERS, Vol. 21, No. 2, January 15, 1996; pp. 128-130.							
Aluxo	Hofer, M. et al., Vol. 17, No. 11;		e Nd:Glass Amplifier Seeded With pp. 807-809.	a Nd: Fib	er Laser", OPTIC	S LETT	ERS;		
Auso			Directly Diode-Pumped Femtoseco ERS; Vol. 22, No. 23; December			e-Amplif	ication		
Alux			on-Pumped and Diode-Pumped Al TICS LETTERS; Vol. 20, No. 2; J				.IF6		
ALLO			I-GW, I-kHz Pulse Amplification 8; pp. 1918-1920.	in Cr:forst	erite"; OPTICS I	ETTERS	S, Vol.		
Aus			generative Amplifier for Ultrashort CS LETTERS, Vol. 20, No. 4; Febr				Without		
Alux			ode-Pumped, Chirped-Pulse Yb:Y November 1, 2003; pp. 2121-2123.	LF Regene	rative Amplifier	", OPTIC	:s		
AND			mplification of a Single-Frequency December 1, 1993; pp. 2017-2019.	Optical Pa	rametric Oscilla	tor", OP	rics ·		
Anno			-Pumped Millijoule Subpicosecond No. 13; July 1, 1999; pp. 917-919.		Regenerative Ar	nplifier",			
EXAMINER OF	, m	nacon	DATE CONSIDERED 9	-22-2	0005				

			Ĺ
SHEET	3	QP.	?

							SIILL	- 77	
INFORMA	TION DISCLO	SURE	ATTY. DOCKET NO. SERIAL NO.						
CITATION			18120-0027 10/762,216						
	PTO-1449	APPLICANT Kafka et al.			·				
			FILING DATE 01/20/04		GR	OUP Unknow	* 36	63	
		U.S	S. PATENT DOCUMENTS						
EXAMINER'S INITIALS	PATENT NO.	DATE	NAME	CL	ASS	SUBCLASS	FILING	G DATE	
							<u> </u>		
		FOR	EIGN PATENT DOCUMENTS			T			
EXAMINER'S INITIALS	PATENT NO.	DATE	COUNTRY	CL	ASS	SUBCLASS		SLATION	
#111/LUS				 			YES	МО	
	<u></u>			<u>l </u>			LU	Ly	
#			Including Author, Title, Date, Po				1 ETTE	90. Val	
ghly>	Liu, H. et al., "D 27, No. 9, May 1	, 2002; pp. 72	-pumped Yb:KY(WO4)2 Regenera 22-724.	ative A	чшы	ners , OPTICS	LEIIE	voi.	
Aus	Mellish, R. et al., "Diode-Pumped Cr:LiSAF All-Solid-State Femtosecond Oscillator and Regenerative Amplifier"; OPTICS LETTERS; Vol. 20, No. 22; November 15, 1995; pp. 2312-2314.								
Alway	Nabekawa, Y. et al., "Generation of 0.66-TW Pulses at 1 kHz by a Ti:sapphire Laser", OPTICS LETTERS; Vol. 23, No. 17; September 1, 1998; pp. 1384-1386.								
AND		Nabekawa, Y. et al., "Sub-20-fs Terawatt-Class Laser System With A Mirrorless Regenerative Amplifier and an Adaptive Phase Controller", OPTICS LETTERS, Vol. 27, No. 14; July 15, 2002; pp. 1265-1267.							
Ans			lse Amplification at 250 kHz With neration", OPTICS LETTERS; Vo						
AND	Ohno, K. et al., " By Direct Refere November 2002;	nce To Frequ	se Shaping of Phase and Amplitud ency-Resolved Optical Gating Tra 90.	le of a	n Am OPT.	plified Femtose SOC. AM. B; V	cond Pul /ol. 19, N	se Laser No. 11;	
Alway	Perry, M.D. et al 1992; pp. 604-60		F6 Regenerative Amplifier"; OPTI	ICS L	ЕТТЕ	RS; Vol. 17, No	o. 8; Apri	115,	
AW			iode-Pumped Yb³+:SrY4(SiO4)3C lovember 15, 2003; pp. 2195-2197		enerat	ive Amplifier",	OPTICS		
Alux			able Femtosecond Optical Paramet ICS LETTERS; Vol. 19, No. 22; N					sapphire	
Altis			Diode-Pumped Regenerative Ampl CS LETTERS; Vol. 28, No. 15; A					irped-	
Ato			lse Amplification of 55-fs Pulses a TICS LETTERS, Vol. 18, No. 23;				n a Ti:Al	203	
Atho			rative Amplification of Picosecond DC. AM. B, Vol. 8, No. 10; October				etition R	ates in	
EXAMINER OF	(M)	naeon	DATE CONSIDERED	9.	-2:	3-2005			

<u>·</u>						OHILL	1 4 OF 4		
INFORMATION DISCLOSURE		ATTY. DOCKET NO.	OCKET NO. SERIAL NO.						
	CITATION	JSUKE	18120-0027 10/762,216						
	PTO-1449		APPLICANT Kafka et al.						
		FILING DATE 01/20/04	GR	OUP Wiknown 3663					
		U.	S. PATENT DOCUMENTS						
EXAMINER'S INITIALS	PATENT NO.	DATE	NAME	CLASS	CLASS SUBCLASS		DATE		
	•								
		FOR	EIGN PATENT DOCUMENTS			,			
EXAMINER'S	PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANS	LATION		
INITIALS						YES	NO		
	OTHER DO	CUMENTS	(Including Author, Title, Date, Pe	rtinent Pa	ges, Etc.)				
Aus			i, Diode-Pumped, Diode-Laser-Seed FICS LETTERS, Vol. 19, No. 8; A _I				-		
AMO			Pulses Generated From the Mixing LETTERS; Vol. 27, No. 3; Februa			ual-Wav	elength		
Stas	Tian, C. et al., "S Lamp-Pumped T	Synchronous, i:sapphire La	Dual-wavelength, Injection-Seeded ser"; OPTICS LETTERS; Vol. 24,	l Amplifica No. 21; No	ation of 5-ns Pul ovember 1, 1999	ses in a l); pp. 149	Flash- 96-1498		
And	Turi, L. et al., "I LETTERS; Vol.	ligh-Power L 20, No. 2; Ja	ongitudinally End-Diode-Pumped I nuary 15, 1995; pp. 154-156.	Nd:YLF Re	egenerative Amp	olifier", C	PTICS		
And			tion of a 1-kHz Pulse-Pumped Ti:sa arch 15, 1990; pp. 317-319.	apphire Re	generative Amp	lifier", O	PTICS		
Ata	Wang, X.D. et a No. 15; August		ive Pulse Amplification In the 10-k 39-841.	Hz Range'	OPTICS LET	ΓERS; V	ol. 15,		
Aus	Wynne, K. et al. Vol. 19, No. 12;		ve Amplification of 30-fs Pulses in 4; pp. 895-897.	Ti:sapphire	e at 5 kHz"; OP	TICS LE	TTERS;		
House			olor Chirped-Pulse Amplification In FICS LETTERS; Vol. 28, No. 23; E				ng		
AU			vatt Pulses With a 31% Efficier FICS LETTERS; Vol. 26, No. 7; Ap			Rate Ti:	sapphire		
Alla	Zhang, Z et al., '8; April 15, 2000		ength Chirped-Pulse Amplification 3.	System", C	PTICS LETTE	RS; Vol.	25, No.		
	. 0	_							
EXAMINER ()	(M)	~~~	DATE CONSIDERED	9-23	-2005				